

### Scientific publications by Giorgio J. Moro

- 1) **G. Moro**, P.L. Nordio, U. Segre: Heisenberg exchange between unlike free radicals, *Rend. Acad. Naz. Lincei* **61** (1976), 479-484.
- 2) **G. Moro** P.L. Nordio: A memory-function approach to the angular correlation functions in anisotropic liquids, *Chem. Phys.* **43** (1979). 303-306.
- 3) **G. Moro**, P.L. Nordio, U. Segre: ESR lineshapes of free radicals undergoing jump diffusion, *Gazz. Chim. Ital.* **109** (1979), 585-588.
- 4) **G. Moro**, P.L. Nordio, U. Segre: Rotational motions of biradical metal chelates in polar solvents, *Chem. Phys.* **45** (1980), 85-90.
- 5) **G. Moro**, J.H. Freed: Efficient computation of magnetic resonance spectra and related correlation functions from stochastic Liouville equations, *J. Phys. Chem.* **84** (1980), 2837-2840.
- 6) **G. Moro**, J.H. Freed: Calculation of ESR and related Fokker-Planck forms by the use of the Lanczos algorithm, *J. Chem. Phys.* **74** (1981), 3757-3773.
- 7) M. Shiotani, **G. Moro**, J.H. Freed: ESR studies of  $O_2^-$  adsorbed on Ti supported surfaces: analysis of motional dynamics, *J. Chem. Phys.* **74** (1981), 2616-2640.
- 8) **G. Moro**, J.H. Freed: Classical time-correlation functions and the Lanczos algorithm, *J. Chem. Phys.* **75** (1981), 3157-3159.
- 9) **G. Moro**, P.L. Nordio: Angular-dependent rotational friction in anisotropic liquids, *Chem. Phys. Lett.* **93** (1982), 429-431.
- 10) E. Meirovitch, D. Igner, E. Igner, **G. Moro**, J.H. Freed: Electron-spin relaxation and ordering in smectic and supercooled nematic liquid crystals, *J. Chem. Phys.* **77** (1982), 3915-3938.
- 11) **G. Moro**, P.L. Nordio: A modified Wigner function set for the Smoluchowski operator representation in anisotropic liquids, *Chem. Phys. Lett.* **96** (1983), 192-199.
- 12) **G. Moro**, P.L. Nordio, U. Segre: Translational diffusion in smectic-A phases, *Chem. Phys. Lett.* **105** (1984), 440-443.

- 13) **G. Moro**, P.L. Nordio: Orientation-dependent friction in liquid crystals, *Mol. Cryst. Liq. Cryst.* **104** (1984), 361-376.
- 14) **G. Moro**, P.L. Nordio, U. Segre: Self-diffusion in uniaxial liquid crystals, *Mol. Cryst. Liq. Cryst.* **114** (1984), 113-118.
- 15) **G. Moro**, U. Segre, P.L. Nordio: Diffusive and collective motions in liquid crystal phases, in *NMR of liquid crystals*, J.W. Emsley ed. (Reidel, Dordrecht, 1985), p. 207-230.
- 16) A. Ferrarini, **G. Moro**, P.L. Nordio, U. Segre: Phenomenological representation of triplet-exciton kinetics, *Chem. Phys.* **92** (1985), 117-127.
- 17) **G. Moro**, P.L. Nordio: Dynamical behaviour of solutes in smectics, *J. Phys. Chem.* **89** (1985), 997-1001.
- 18) **G. Moro**: Spectral densities from asymptotic solutions of the Fokker-Planck equation, *Chem. Phys.* **96** (1985), 287-297.
- 19) **G. Moro**, P.L. Nordio: Diffusive and jump description of hindered motions, *Molec. Phys.* **56** (1985), 255-269.
- 20) **G. Moro**, P.L. Nordio: Diffusion between inequivalent sites, *Molec. Phys.* **57** (1986), 947-955.
- 21) **G. Moro**: Non-orthogonal basis function in the solution of diffusional problem, *Chem. Phys.* **106** (1986), 89-101.
- 22) **G. Moro**, P.L. Nordio: Rotational diffusion in cubic fields, *Z. Phys. B* **64** (1986), 217-221.
- 23) **G. Moro**, J.H. Freed: The Lanczos algorithm in molecular dynamics: calculation of spectral density, in *Large scale eigenvalue problems*, J. Cullum e R.A. Willoughby eds. (North-Holland, Amsterdam, 1986), p. 143-160.
- 24) **G. Moro**, P.L. Nordio: Stochastic description of hindered motions, in *Advanced magnetic resonance techniques in systems of high molecular complexity*, N. Nicolai and G. Valensin eds (Birkhauser, Boston, 1986), p. 269-273.

- 25) F. Coletta, **G. Moro**, P.L. Nordio: Mobility of alkyl chains in quaternary ammonium salts, *Molec. Phys.* **61** (1987), 1259-1267.
- 26) **G. Moro**: Coupling of the overall molecular motion with the conformational transitions. I. The model system of two coupled rotors, *Chem. Phys.* **118** (1987), 167-180.
- 27) **G. Moro**: Coupling of the overall molecular motion with the conformational transitions. II. The full rotational problem, *Chem. Phys.* **118** (1987), 181-197.
- 28) A. Polimeno, P.L. Nordio, **G. Moro**: Master equation representation of Fokker-Planck operators in the energy diffusion regime: strong collision versus random walk processes, *Chem. Phys. Lett.* **144** (1988), 357-361.
- 29) A. Ferrarini, **G. Moro**, P.L. Nordio: Conformational kinetics of aliphatic tails, *Molec. Phys.* **63** (1988), 225-247.
- 30) P.L. Nordio, A. Ferrarini, **G. Moro**: Conformational kinetics of aliphatic chains, in *Chemical reactivity in liquids. Fundamental aspects*, M. Moreau and P. Turq eds. (Plenum, New York, 1988), p. 213-220.
- 31) A. Ferrarini, **G. Moro**, P.L. Nordio, A. Polimeno: Conformational processes and cooperativity effects in chain molecules, *Chem. Phys. Lett.* **151** (1988), 531-536.
- 32) **G.J. Moro**, A. Polimeno: Approximate and numerically exact solutions of the Fokker-Planck equation with bistable potentials, *Chem. Phys.* **131** (1989), 281-293.
- 33) **G.J. Moro**, U. Segre: Ultraslow motions and asymptotic lineshapes in ESR, *J. Magn. Res.* **83** (1989), 65-78.
- 34) **G.J. Moro**, A. Ferrarini, A. Polimeno, P.L. Nordio: Models of conformational dynamics, in *Reactive and flexible molecules in liquids*, Th. Dorfmueller ed. (Kluwer Academic Publisher, Dordrecht, 1989), p. 107-139.
- 35) A. Ferrarini, P.L. Nordio, **G.J. Moro**, R.H. Creapeau, J.H. Freed: A theoretical model of phospholipid dynamics in membranes, *J. Chem. Phys.* **91** (1989), 5707-5721.

- 36) G. Giacometti, **G.J. Moro**, P.L. Nordio, A. Polimeno: Diffusive coupling of internal and solvent coordinates in conformational transitions involving electron transfer, *J. Mol. Liq.* **42** (1989), 19-30.
- 37) **G.J. Moro**, P.L. Nordio, A. Polimeno: Multivariate diffusion models of dielectric friction and TICT transitions, *Molec. Phys.* **68** (1989), 1131-1141.
- 38) **G.J. Moro**: About the coupling between librational motions and conformational transitions in chain molecules, *Chem. Phys. Lett.* **173** (1990), 503-506.
- 39) A. Ferrarini, **G.J. Moro** P.L. Nordio: Theory of molecular motions in flexible nematogens, *Liq. Cryst.* **8** (1990), 593-621.
- 40) A. Ferrarini, P.L. Nordio, **G.J. Moro**: Molecular Motions of 4-n-alkyl-4'-cyano-biphenyls in Liquid Crystal Phases", *Mol. Cryst. Liq. Cryst.* **198** (1991), 159-170.
- 41) **G.J. Moro**: The coupling between librational motions and conformational transitions in chain molecules. A phenomenological analysis, *J. Chem. Phys.* **94** (1991), 8577-8591.
- 42) **G.J. Moro**, P.L. Nordio, A. Polimeno: Non-Kramers regimes in barrier crossings of bivariate diffusive systems, *Chem. Phys. Lett.* **182** (1992), 575-580.
- 43) **G.J. Moro**: Master equation for site distributions describing barrier crossing in the presence of anisotropic diffusion, *Chem. Phys.* **159** (1992), 421-437.
- 44) **G.J. Moro**, A. Polimeno: Multi-barrier crossing regulated by the friction, *Chem. Phys. Lett.* **189** (1992), 133-137.
- 45) **G.J. Moro**: The coupling between librational motions and conformational transitions in chain molecules II. The rotor chain represented by the master equation for site distributions, *J. Chem. Phys.* **97** (1992), 5749-5765.
- 46) A. Ferrarini, **G.J. Moro**, P.L. Nordio, G.R. Luckhurst: A shape model for molecular ordering in nematics, *Molec. Phys.* **77** (1992), 1-15.

- 47) A. Ferrarini, P.L. Nordio, G.J. Moro: Diffusion models for molecular motion in uniaxial mesophases, in *The molecular physics of liquid crystals*, G.R. Luckhurst and C.A. Veracini eds. (Kluwer Academic, Dordrecht,1994), p. 41-69.
- 48) **G.J. Moro**, P.L. Nordio, M. Noro, A. Polimeno: A cage model of liquids supported by molecular dynamics simulations. I. The cage variables, *J. Chem. Phys.* **101** (1994), 693-702.
- 49) A. Polimeno, **G.J. Moro**: A cage model of liquids supported by molecular dynamics simulations. II. The stochastic model, *J. Chem. Phys.* **101** (1994), 703-712.
- 50) A. Polimeno, **G.J. Moro**, J.H. Freed: Rotational dynamics of axially symmetric solutes in isotropic liquids. I. A collective cage description from molecular dynamics simulations', *J. Chem. Phys.* **102** (1995), 8094-8106.
- 51) A. Ferrarini, **G.J. Moro**, P.L. Nordio: A shape model for the twisting power of chiral solutes in nematics', *Liq. Cryst.* **19** (1995), 397-399.
- 52) **G.J. Moro**: Kinetic equations for site populations from the Fokker-Planck equation, *J. Chem. Phys.* **103** (1995), 7514-7528.
- 53) A. Polimeno, **G.J. Moro**, J.H. Freed: Rotational dynamics of axially symmetric solutes in isotropic liquids. II. The stochastic model, *J. Chem. Phys.* **104** (1996), 1090-1104.
- 54) Ferrarini, **G.J. Moro**, P.L. Nordio: Simple molecular model for induced cholesteric phases, *Phys. Rev. E* **53** (1996), 681-688.
- 55) A. Ferrarini, **G.J. Moro**, P.L. Nordio: Shape model for ordering properties of molecular dopants inducing chiral mesophases, *Molec. Phys.* **87** (1996), 485-499.
- 56) **G.J. Moro**: A stochastic model for crankshaft transitions, *J. Phys. Chem.* **100** (1996), 16419-16422.
- 57) **G.J. Moro**, F. Cardin: Variational layer expansion for kinetic processes, *Phys. Rev. E* **55** (1997), 4918-4934.
- 58) **G.J. Moro**, A. Polimeno: A stochastic cage model for linear solutes, *J. Chem. Phys.* **107** (1997), 7884-7893.

- 59) A. Polimeno, D. Frezzato, G. Saielli, **G.J. Moro**, P.L. Nordio: Extended Smoluchowski models for interpreting relaxation phenomena in liquids, *Acta Phys. Polonica B* **29** (1998), 1749-1789.
- 60) **G.J. Moro**, F. Cardin: Saddle point avoidance due to inhomogeneous friction, *Chem. Phys.* **235** (1998), 189-200.
- 61) A. Ferrarini, F. Janssen, **G.J. Moro**, P.L. Nordio: Molecular surface and order parameters in liquid crystals", *Liq. Cryst.* **26** (1999), 201-210.
- 62) A. di Matteo, A. Ferrarini, **G.J. Moro**: Effects of electrostatic interactions on orientational order of solutes in liquid crystals, *J. Phys. Chem. B* **104** (2000) 7764-7773
- 63) A. Ferrarini, **G.J. Moro**: Molecular order in nematic liquid crystals from shape-dependent repulsive and attractive interactions, *J. Chem. Phys.* **114** (2001), 596-608.
- 64) A. Ferrarini, **G.J. Moro**, P.L. Nordio: Quantitative representation of molecular shape and liquid crystal properties, in *Physical properties of liquid crystals: nematics*, D. Dunmur, A. Fukuda and G. Luckhurst eds. (INSPEC, London, 2001), p. 103-112.
- 65) **G.J. Moro**, M.G. Severin: Bimolecular kinetics according to a stochastic analysis of reactant dynamics, *J. Chem. Phys.* **114** (2001), 4565-4578.
- 66) D. Frezzato, G. Kothe, **G.J. Moro**: Transverse nuclear spin relaxation due to director fluctuations in liquid crystals – A slow motional theory, *J. Phys. Chem. B* **105** (2001), 1281-1292.
- 67) S.M. Todd, A. Ferrarini, **G.J. Moro**: Molecular modelling of chiral nematics, *Phys. Chem. Chem. Phys.* **3** (2001), 5535-5541.
- 68) A. di Matteo, A. Ferrarini, **G.J. Moro**, G. Celebre, G. De Luca, M. Longeri: Effects of electrostatic interactions on orientational order of solutes in nematic solvents: NMR experiments and theoretical predictions, *Mol. Cryst. Liq. Cryst.* **372** (2001), 107-120.
- 69) G. Althoff, D. Frezzato, M. Vilfan, O. Stauch, R. Schubert, I. Vilfan, **G.J. Moro**, G. Kothe: Transverse nuclear spin relaxation studies of viscoelastic

properties of membrane vesicles. I. Theory, *J. Phys. Chem. B* **21** (2002), 5506-5516

- 70) G. Althoff, O. Stauch, R. Schubert, M. Vilfan, D. Frezzato, **G.J. Moro**, P. Hauser, R. Schubert, G. Kothe: Transverse nuclear spin relaxation studies of viscoelastic properties of membrane vesicles. II. Experimental results, *J. Phys. Chem. B* **21** (2002), 5517-5526
- 71) B. Nigro, **G.J. Moro**: A stochastic model for crankshaft transitions. II. Analysis of transition dynamics, *J. Phys. Chem. B* **106** (2002), 7365-7375.
- 72) M. Stocchero, **G.J. Moro**: Director reorientation due to dye photoabsorption, *Mol. Cryst. Liq. Cryst.* **395** (2003), 99-113.
- 73) D. Frezzato, **G.J. Moro**: Roto-translational diffusion in smectic-C liquid crystals, *Mol. Cryst. Liq. Cryst.* **395** (2003), 83-98.
- 74) G. Althoff, D. Frezzato, G. Kothe, **G.J. Moro**, M. Vilfan, I. Vilfan, O. Stauch, R. Schubert: Transverse nuclear spin relaxation induced by shape fluctuations in membrane vesicles. Theory and experiments, *Mol. Cryst. Liq. Cryst.* **394** (2003), 93-106
- 75) D. Frezzato, G. Kothe, **G.J. Moro**: Transverse nuclear spin relaxation in nematic liquid crystals. Effect of the anisotropy of the viscoelastic parameters, *Mol. Cryst. Liq. Cryst.* **394** (2003), 107-118.
- 76) A. Ferrarini, **G.J. Moro**: Molecular models of orientational order, in *NMR of liquid crystals*, E.E., Burnell and C.A. de Lange eds. (Kluwer Academic, Dordrecht, 2003), p. 241-258.
- 77) D. Frezzato, **G.J. Moro**, M. Tittelbach, G. Kothe, Transverse nuclear spin relaxation induced by director fluctuations in a nematic liquid crystal polymer. Evaluation of the anisotropic elastic constants. *J. Chem. Phys.* **119** (2003), 4060-4069.
- 78) D. Frezzato, **G.J. Moro**, G. Kothe: Transverse nuclear spin relaxation due to director fluctuations in liquid crystals. II. Second order contributions of the fluctuating director, *J. Chem. Phys.* **119** (2003), 6931-6945.
- 79) D. Frezzato, G. Kothe, **G.J. Moro**: Transverse nuclear spin relaxation due to director fluctuations in liquid crystals. III. A slow-motional theory for the

angular dependence in pulsed experiments, *J. Chem. Phys.* **119** (2003), 6946-6958.

- 80) U. Heinen, J.R. Golecki, O. Poluektov, T. Berthold, S.L. Schlesselman, D. Frezzato, E. Ohmes, **G.J. Moro**, M.C. Thurnauer, G. Kothe, Magnetic field induced orientation of photosynthetic reaction centers as revealed by time-resolved D-band EPR of spin-correlated radical pairs. III. Development of a molecular model, *J. Appl. Magn. Res.* **26** (2004) 99-115.
- 81) U. Heinen, O. Poluektov, E. Stavitski, T. Berthold, E. Ohmes, S.L. Schlesselman, J.R. Golecki, **G.J. Moro**, H. Levanon, M.C. Thurnauer, G. Kothe, Magnetic field induced orientation of photosynthetic reaction centers as revealed by time-resolved D-band EPR of spin-correlated radical pairs. II. Field dependence of the alignment, *J. Phys. Chem. B* **108** (2004) 9498-9504.
- 82) D. Frezzato, G. Kothe, **G.J. Moro**: Director Fluctuations and ESR spectra: a slow-motional treatment, *J. Phys. Chem. B* **108** (2004) 9503-9515.
- 83) **G.J. Moro**, A. Polimeno: Separation of fast and slow processes from a stochastic cage model of molecular dynamics, *J. Phys. Chem. B* **108** (2004) 9530-9540.
- 84) B. Nigro, D. Di Stefano, A. Rassa, **G.J. Moro**: Cranklike conformational transitions in polyethylene, *J. Chem. Phys.* **121** (2004) 4364-4376.
- 85) M. Stocchero, A. Ferrarini, **G.J. Moro**, D.A. Dunmur, G.R. Luckhurst: Molecular theory of dielectric relaxation in nematic dimmers, *J. Chem. Phys.* **121** (2004) 8079-8097.
- 86) D. Frezzato, **G.J. Moro**, C. Zannoni, Molecular diffusion in liquid crystals and chiral discrimination. I. Theory, *J. Chem. Phys.* **122** (2005) 164904.
- 87) A. Magro, D. Frezzato, A. Polimeno, **G.J. Moro**, R. Chelli, R. Righini, Dynamics of liquid benzene: a cage analysis, *J. Chem. Phys.* **123** (2005) 124511.
- 88) B. Fresch, D. Frezzato, **G.J. Moro**, G. Kothe, J.H. Freed, Collective fluctuations in ordered fluids by two-dimensional Electron-Electron Double Resonance Spectroscopy, *J. Phys. Chem. B* **110** (2006) 24238-24254.

- 89) D. Frezzato, C. Zannoni, **G.J. Moro**, Molecular diffusion in liquid crystals and chiral discrimination. II. Model calculations *J. Chem. Phys.* **125** (2006) 104903
- 90) V. Domenici, K. Fodor-csorba, D. Frezzato, **G.J. Moro**, C.A. Veracini, Deuterium NMR evidences of slow dynamics in the nematic phase of a banana-shaped liquid crystal, *Ferroelectrics* **344** (2006) 19-28.
- 91) D. Frezzato, A. Polimeno, A. Ferrarini, **G.J. Moro**, Stochastic modelling of roto-translational motion of dyes in micellar environment, *Theor. Chem. Acc.* **117** (2007) 1017-1027.
- 92) D. Frezzato, **G.J. Moro**, Local biaxiality in cholesteric liquid crystals from the surface interaction model, *J. Chem. Phys.* **128** (2008) 104513.1-13.
- 93) D. Frezzato, **G.J. Moro**, Transverse nuclear spin relaxation in nematic liquid crystals. Angular dependence of the relaxation rate in pulsed experiments, *Mol. Cryst. Liq. Cryst.* **300** (2009) 91-107.
- 94) B. Fresch, **G.J. Moro**, Typicality in ensembles of quantum states: Monte Carlo sampling versus analytical approximations, *J. Phys. Chem. A* **113** (2009) 14502-14513.
- 95) B. Fresch, **G.J. Moro**, Emergence of thermodynamic properties in quantum pure states. I. Foundations, *J. Chem. Phys.* **133** (2010) 034509.1-12.
- 96) B. Fresch, **G.J. Moro**, Emergence of thermodynamic properties in quantum pure states II. Analysis of a spin model system, *J. Chem. Phys.* **133** (2010) 034510.1-13.
- 97) M. Cifelli, D. Frezzato, G.R. Luckurst, **G.J. Moro**, A. Sugimura, C.A. Veracini, Angular dependence of <sup>2</sup>H-NMR longitudinal spin relaxation in aligned nematic 4-n-pentyl-4'-cyanobiphenyl: molecular rotation and director fluctuations, *Liq. Cryst.* **37** (2010) 773-784.
- 98) B. Fresch, **G.J. Moro**, Beyond quantum microcanonical statics, *J. Chem. Phys.* **134** (2011) 054510.1-16.
- 99) B. Fresch, **G.J. Moro**, Typical response of quantum pure states, *Eur. Phys. J. B* **86** (2013) 233-246.

